



Product Discontinuation Notices

March 1, 2011

UV-Light Curing Systems

No. 2011101E

Discontinuation Notice of UV-Light Curing Systems. ZUV-H[][]M series

Product Discontinuation Head Unit

X

Model ZUV-H10M Model ZUV-H20M Model ZUV-H25M Model ZUV-H30M Model ZUV-H35M Model ZUV-H30M-1

Recommended Replacement Head Unit

Model ZUV-H10MB Model ZUV-H20MB Model ZUV-H25MB Model ZUV-H30MB Model ZUV-H35MB Model ZUV-H21MB

Discontinuation date : The end of March, 2012

Caution on recommended replacement

As for Model ZUV-H[][]MB, illuminances have strengthened more than Model ZUV-H[][]M.

Difference from discontinued product

Model	Body Color	Dimen sions	Wire connection	Mounting Dimensions	Charact eristics	Operation ratings	Operation methods
ZUV-H10MB	**	**	**	**	*	*	-
ZUV-H20MB	**	**	**	**	*	*	-
ZUV-H25MB	**	**	**	**	*	*	-
ZUV-H30MB	**	**	**	**	*	*	-
ZUV-H35MB	**	**	**	**	*	*	-
ZUV-H21MB	**	*	**	**	*	*	-

** : Fully compatible

* : The change is a little/Almost compatible

-- : Not compatible

- : No corresponding specification

Product Discontinuation and recommended replacement

Product discontinuation	Recommended replacement
Model ZUV-H10M	Model ZUV-H10MB
Model ZUV-H20M	Model ZUV-H20MB
Model ZUV-H25M	Model ZUV-H25MB
Model ZUV-H30M	Model ZUV-H30MB
Model ZUV-H35M	Model ZUV-H35MB
Model ZUV-H30M-1	Model ZUV-H21MB

Dimensions

Product discontinuation	Recommendable replacement		
Model ZUV-H30M-1 The length of the cable is 0.3m.	Model ZUV-H21MB The length of the cable is 2m.		
¢12 v>x = = v h			

Characteristics				
Product discontinuation	Recommendable replacement			
There are parts that the material changed from copper to zinc.				
Model ZUV-H10M	Model ZUV-H10MB			
Material :Aluminum, glass, copper	Material :Aluminum, glass, copper, zinc			
Model ZUV-H30M/Model ZUV-H35M	Model ZUV-H30MB/Model ZUV-H35MB			
Material :Aluminum, glass, copper	Material [:] Aluminum, glass, copper, zinc			
Model ZUV-H30M-1	Model ZUV-H21MB			
Material :Aluminum, glass, copper	Material Aluminum, glass, zinc			
Weight (in packing):	Weight (in packing):			
Approx 150g (Main unit: approx. 55g)	Approx 185g (Main unit: approx. 100g)			

Operation ratings

